

Search By Catalog Number



[Home](#) > [Fuse Holders](#) > Enclosed Photovoltaic (PV) Fuse Holders

Enclosed Photovoltaic (PV) Fuse Holders



PV10BW1

Specifications

- Up to 30 amps @ 1000 & 1500 volts
- Evaluated for use with Photovoltaic fuses
- SC withstand rating:
 - 30,000 amp @ 1000 volts
 - 50,000 amp @ 1500 volts
- UL recognized UL4248-18
- CSA certified
- Bus bar terminal clamp (patented)
- Bare wire range terminal for use with 90°C wire:
 - (1) #6 - 14 AWG
 - (2) #10 - 14 AWG
- 94 V-2 flammability rating
- 130°C (266°F) UL RTI
- Gangable for multi-string configurations
- Has shown a 16% reduction in temperature over competitive models in high ambient testing

Product Datasheet (1000 V)

Fuse Holders - Enclosed Photovoltaic

Catalog #	Description
PV10BW	1000 Volt Fuse holder for (10 x 38mm) PV fuses
PV10BWI	1000 Volt Fuse holder with (red) blown fuse indicator for PV fuses 10 x 38mm
PV15BW	1500 Volt Fuse Holder for 10 x 85mm PV fuses
MSH10	1000 Volt Marker card - single white, snap-in labels 10mm wide for individual identification
MS2	1500 Volt Marking Strip - white 2' long strip to be cut to length and cover a set of holders
EFH-MCCK C	Ganging Clips - used to group multiple fuse holders together for an assembly
ECPVFH	End cap - covers the end opening(s) of the bus bar terminal
MN35-2	DIN rail - 35 x 7.5 x 200 mm long, slotted
MSK35	End bracket - for anchoring in place on DIN rail

CONTACT

Marathon Special Products
 427 Van Camp Road
 P.O. Box 468
 Bowling Green, Ohio 43402

tel: 419-352-8441
 fax: 419-352-0875
 email: marketing@marathonsp.com

CUSTOMER SERVICE HOURS

Mon-Fri 8am-5pm EST

LINKS

[About Us](#)

[Contact Us](#)

[Terms & Conditions](#)

[Locate a Distributor](#)

ABOUT

Marathon Special Products is an industry leader for supplying power blocks, terminal blocks, and fuse holders in North America. We've achieved this by providing one of the broadest line offerings with various sizes, terminal styles, electrical ratings and features.



